


---

## Digital Programmable Time Switch KG316T-II



General description:



Digital Programmable Time Switch KG316T-II widely used in the production equipment, street lamp, light box, neon light, ware house ventilation, agriculture cultivation, automatic preheating, radio and television, etc., is the ideal control products.

This Digital Timer is accurate to the minute, designed with 15-combination of Daily-Programs which can lead great convenience to users upon choosing the required days in a week for operation the timer.

Features:

Panel mounted Advanced pre-setting one week before  
Digital electronic timer switch with daily & weekly programs



---

Repeat programs with 18 on/off setting and manual override  
Lithium battery power reserve when electric supply cut off


Technical Data:

Standard working power supply: 220VAC/50HZ  
Voltage range: 176 ~ 250VAC  
Switch resistance load capacity: 25A  
Inductive load: 20A  
Consumption Power: Timer Range: 1 mins – 168 hours  
Regular Timer: 18 Times ON/OFF(day/weeks)  
Time error: <1S/day (25°C)  
Relative humidity: <95%  
Dimension: 99\*56\*42mm  
Weight: 130g  
Have Hibernation feature  
Battery life: 5 years(Lithium battery)

Dimensions:



PICTURE 1



PICTURE 2

Product link : <https://www.controllermeter.com/kg316t-weekly-digital-programmable-timer.html>